



T.C. KARABÜK ÜNİVERSİTESİ 2013-2014 AKADEMİK YILI BAHAR YARIYILI GENEL SINAVI (FİNAL)

KİŞİSEL BİLGİLER								
Adınız:		Fakülteniz:	Mühendislik Fakültesi					
Soyadınız:		Bölümünüz:	Bilgisayar Mühendisliği					
İmzanız:	ÖRNEK SORULAR	Sınıfınız:	2					
	www.safak.gen.tr/info.html	Öğrenci Numaranız:						

GENEL ACIKLAMA

- Bu çoktan seçmeli başarı testi YDL282 kodlu Mesleki Yabancı Dil II dersine ilişkin bilginizi ölçmek amacıyla geliştirilmiştir.
- Test 50 sorudan oluşmaktadır ve öngörülen cevaplama süresi 50 dakikadır.
- Cevaplamaya istediğiniz sorudan başlayabilirsiniz.
- Test kitapçığındaki her sorunun yalnızca bir doğru cevabı vardır. Bir soru için birden fazla cevap yeri işaretlenmişse o soru yanlış cevaplanmış sayılacaktır.
- Test kitapçığındaki sorularda bırakılan boşluklar birden fazla sözcüğü kapsayabilir.
- Bu testteki soruların cevaplarının, cevap formunda ayrılmış olan yerlere işaretlenmesi gerekmektedir. Ayrıca, test grubunu cevap formunda işaretlemeyi unutmayınız.
- Bu testin değerlendirilmesi doğru cevap sayısı üzerinden yapılacak, yanlış cevaplar dikkate alınmayacaktır. Bu nedenle, her soruda size en doğru görünen cevabı işaretleyerek cevapsız soru bırakmamanız önerilmektedir.
- Test sayfalarındaki boş yerleri müsvedde için kullanabilirsiniz.
- "KİŞİSEL BİLGİLER" bölümlerindeki ilgili yerleri lütfen eksiksiz olarak belirtmeye özen gösteriniz.
- Sınav sonunda test ile cevap formunuzu salondaki görevliye lütfen eksiksiz olarak teslim ediniz.
- Testte başarılar diliyoruz.

DACAE	RI TESTI
KASAR	/I I F S I I

					705007					
1.	According to Ohm's Law: I = E/R. To work out the value of R, it is necessary to calculate the total resistance of all the and connecting lengths of that make up the circuit.									
	and connecting lengths of that make up the circuit.									
Α.	ohms - amps	В.	current - supply	, C.	circuit - voltage	D.	wattage - resistance	E.	components -	
<u> </u>			1				resistance		Conductor	
			•		4					
2.	2. Microwave beams sent dishes on tall towers, link some signals.									
			Ī,							
A.	along	В.	from	C.	to	D.	between	E.	through	
						••••	1			
3.	The same of it is		1	.1	Alan Inggrandan da di	! -	- L			
э.	Ine area of II is	s aeve	loping very quick	dy; and	the language to de	escrib	e nardware, softw	are ar	nd applications is	
	also	at a	high speed.							
	4150	_ 4	ingii specu.							
A.	ovolvina	В.	borforming	c.	maintaining	D.	maninulatina	E.	araatin <i>a</i>	
[^·]	evolving	35.	performing		maintaining	D.	manipulating		creating	
	4	AP								
4.		a davi	ca which mans th	0 COLLE	co into a set of him	anı ctı	rings			
٦.	1\$	a devi	ce which maps th	ie sour	ce into a set of bina	ary Sti	rings.			
r - r			<u> </u>						T	
Α.	Amplitude	В.	Channel	C.	Frequency	D.	Carrier wave	E.	Source encoder	
	modulator		encoder		modulator					
<u></u>	modulator	_ <u>i</u>	Elicodei	i	modulator	i		i		
5.	en	orgy i	s the notential er	argy st	ored in a deforme	d mat	orial			
	EII	cigy i	s the potential er	icigy si	lored iii a deloriile	u IIIat	.eriai.			
A.		В.	- I	7 .		D.		Ε.	12: 1:	
Α.	Strain	р.	Thermal	C.	Useful	υ.	Chemical	E.	Kinetic	
6.	C-fatrona and de					J = L =				
0.	Safety procedu	res m	ust be	0056	rved to avoid accid	ients.				
······			1				·r		·	
A.	strictal	В.	strictively	C.	strictly	D.	strictably	E.	stricted	
ā.					·			i		
_										
7.	of	the ti	mber which was (deliver	ed last week was o	t very	poor quality. We	had to	o return	
	of the boards.									
	Of the boards.									
					A.I. I .					
A.	Little - most	В.	Many - few	C.	All - lot	D.	Much - many	E.	Some - a few	

Yasal Uyarı

	nal walls inside an encome of it to be emitt			ch ar	e intended to abso 	orb he	at energy during
A. radiation B	· heat exchanger	C . _C	oolant	D.	thermal inertia	Ε.	heat sink
9. MobiPhone World	1000 is not only a mo	bile ph	one, it doubles as	a ha	indy		
A. GPRS B	· LCD	C. S	creen	D.	email	E.	PDA
10. Whole machines o	r structures are show	n on	drawin	gs.			
A. actual size B	· schematics	c . c	GA .	D.	CAD	E.	scale
11. Last month compu	ter cost	the com	npany over €10,00	00 in	lost production.		
A. interference B	· combine	c. d	lowntime	D.	connections	Ε.	upload
	es use only electrical enter on board the tra		This means there	is no	need to	er	ergy from one
A. kinetic - power B	· convert - form	C . e	efficient - source	D.	store - chemical	E.	dissipate - gain
13. Tothi	s figure, it is critical to	assess	the consequence	s of	a technical failure.		
A. overdesign B	· encounter	C. ir	mplicate	D.	quantify	E.	make provision
14. Digital communica	tions and	_ circuit	s have allowed de	evelo	pments in hardwa	re to	be made.
A. integrated B	· digital	С. е	expansion	D.	central	Ε.	software
15. Transmission of sp	eech was first carried	out thr	ough	of t	he amplitude of a	radio	signal.
A. ultrahigh B	· generator	C. tı	ransducer	D.	amplification	Ε.	modulation
16. In physics and in e	ngineering, grams and	d kilogra	ams are used as u	nits o	of		
A. Density B	· Surface area	C. N	N ass	D.	Weight	Ε.	Volume
17. Cables consisting of	of several copper wire	s each v	with a shield are k	now	n as (ables.	
A. transmission B	· twisted pair	c. b	paud	D.	power	E.	optical fibre
18. Many home users	want more	drive	es because of thei	r nee	ed for additional st	orage	
A. reliable B	proprietary	C. C	ompatible	D.	spacious	Ε.	plentiful
19. Amperage is reduc	ed and voltage is incr	eased b	oy a t	rans	former (AC genera	ition a	nd supply).
A. grid B	· distribution	c. s	tep-up	D.	magnet	Ε.	field coil
20. Communications s	ystems for aircraft an	d ships	are dependent or	1	·		
A. transportation B systems	· satellite communications		space echnology	D.	computer- guided robots	E.	navigation aids
21. A circo	uit is a simple circuit v	where a	II the components	s are	placed one after t	the otl	ner along the
A. parallel B	· short	C. ir	ntegrated	D.	series	Ε.	printed
22. If a bridge has a su	pport at its centre, th	en it ha	is two	<u>.</u>			
A. dims B	· pylons	C. S	pans	D.	angles	E.	extremities
23 is the	process of tests and t	trials to	see what happen	s und	der different cond	itions.	
A. Pilot study B	-	С. д	Applied	D.	Product	E.	Experimentation

Yasal Uyarı

Bu testin tüm hakkı Karabük Üniversitesi'ne ait olup izinsiz kopyalanması, dağıtılması, referans gösterilmesi, çoğaltılması ve bir çalışmada kullanılması kesinlikle yasaktır. Ayrıca, bu test 30.05.2014 tarihinde 09:00-10:00 saatleri arasında gerçekleştirilen 2013-2014 Akademik Yılı Bahar Yarıyılı YDL282 Genel Sınavı için hazırlanmıştır.

24.	They introduced	comp	outer-guided robo	ts	increase	effici	ency.	
A.	so as	В.	in order to	C.	in order that	D.	so that to	E. for
25.	func	tion	as electronic valve	s allo	wing current to flo	w in	only one direction.	
Α.	Electrons	В.	Resistors	C.	Capacitors	D.	Transistors	E. Diodes
26.	The length of eac	h sid	e of a square is		to the		of the square's are	ea.
А.	rounded - whole	В.	equal - square root	C.	adjacent - sides	D.	divided - square	E. multiplied - sum
27.	If you're keen on	musi	ic you should also	buy_	, exterr	al sp	eakers.	
Α.	saperete	В.	saperate	C.	sapereta	D.	separate	E. seperate
28.	Obviously, if we he that's not a	nave	to spend €80 on c design solution		onents for each app	lianc	e, and the applianc	ces are sold for €70,
Α.	cost-effective	В.	constraint	C.	viable	D.	factored in	E. proposed
29.	To make a phone	call,	an analogue telep	hone	e must be	, I	inked, to an ATA.	
Α.	hooked up	В.	switched on	C.	boot up	D.	set up	E. typed in
30.	The main aim of	the tr	raining is accident		•			
Α.	preventions	В.	inspection	C.	pavements	D.	prevention	E. pavement
31.	This laser printer	print	s twenty pages of	text	a mini	ite.	7	
Α.	on	В.	of	C.	at	D.	-	E. in
32.	Volunteers are		closely for a	ny ot	ther unwanted effe	cts w	hich were not iden	ntified earlier.
Α.	surveyed	В.	recorded	C.	monitored	D.	innovated	E. assessed
33.	After the chemica	al tre	atment, the chip		a process th	at	its electi	rical properties.
1 1	customizes - upgrade	В.	is fed into - cover	C.	undergoes - alters	D.	treated - protect	E. wafers - sequential
34.	There aren't		people working	ıg at ı	night	of the	e staff work during	the day.
Α.	little - Lot	В.	many - Most	C.	many - Much	D.	any - Some	E. most - Few
35.	Following the fire mistake in this se	20020	4	ave b	een affected by sm	oke a	as we had originally	/ thought. Find the
Α.	as	В.	affected	C.	thought	D.	more people	E. many
36.	An address bar is	the _	in you	ır bro	wser display		the web address	is displayed.
A.	area - where	В.	area - which	C.	place - that	D.	location - that	E. place - which
37.	it co	uld b	e difficult, it's still	wort	h considering.			
Α.	Nevertheless	В.	Although	C.	However	D.	Yet	E. Even
38.	Magnetic storage	e med	dia ta	ре са	rtridges, floppies a	nd ha	ard disks.	
Α.	includes	В.	consist	C.	constitute	D.	include	E. comprises
39.	The print heads o	of you	ır printer must be		, obstructed	d with	ı ink.	
A.	clogged	В.	outage	C.	flicker	D.	fuzzy	E. corrupted

Yasal Uyarı

Bu testin tüm hakkı Karabük Üniversitesi'ne ait olup izinsiz kopyalanması, dağıtılması, referans gösterilmesi, çoğaltılması ve bir çalışmada kullanılması kesinlikle yasaktır. Ayrıca, bu test 30.05.2014 tarihinde 09:00-10:00 saatleri arasında gerçekleştirilen 2013-2014 Akademik Yılı Bahar Yarıyılı YDL282 Genel Sınavı için hazırlanmıştır.

A Grubu

40.	40. The superlative form of the word "impractical" is "".									
А.	impracticaler	В.	most impractical	C.	more impractical	D.	impracticalest	Ε.	impracticalist	
41.										
Α.	an oblique projection	В.	an isometric projection	C.	a section	D.	an elevation	E.	an exploded view	
42.	42. The thickness of each tower decreases towards the top, so the of the towers are									
А.	height - deck	В.	faces - out of plumb	C.	span - vertical	D.	length - curvature	Ε.	external - inclined	
43.			•		pair of short and a s take in this sentend		sleeved shirt made	of co	tton while a	
A.	a thin dress	В.	a short-sleeved	c.	pair of short	D.	made of] E.	cotton	
44.	The amount of e	energ	y absorbed or emit	ted v	vhile a substance cl	hange	es state is called			
Α.	endothermic	В.	evaporation	C.	exothermic	D.	steam	E.	latent heat	
45.	The Magnus oil	rig sta	ands h	nuge s	steel legs resting _		the seabed.			
Α.	on - on	В.	at - at	C.	on - at	D.	at - above	E.	above - along	
46.	11 ² = 121 Elever	n	is a hundr	ed ar	nd twenty-one.					
А.	squared	В.	multiplied	C.	cube	D.	square] E.	times	
47.	Every drawing is changed.	s num	bered, and each ti	me a	drawing is		the letter next to t	he dr	awing number is	
Α.	circulated	В.	approved	C.	issued	D.	superseded	Ε.	amended	
48.	The interim rep	ort w	as completed	-	the end of last n	nonth				
A.	by	В.	in	C.	at	D.	to	E.	on	
49. Where an AC supply enters a building, it is connected to a										
A.	switchgear	В.	РСВ	C.	plug	D.	switchboard	E.	power socket	
50.	50. A report has been prepared on the tests that have been carried out.									
A.	developer	В.	developmental	C.	developal	D.	development	Ε.	developive	
TEST BİTTİ - LÜTFEN CEVAPLARINIZI KONTROL EDİNİZ										

Yasal Uyarı